


RECEIVED

AUG 30 2021



## TOWN OF TISBURY

Office of

### THE BOARD OF HEALTH

PO Box 666, 66A High Point Lane  
Vineyard Haven, Massachusetts 02568

Telephone (508) 696-4290

Fax (508) 696-7341

August 26, 2021

West Chop Club  
PO Box 1881  
Vineyard Haven, MA 02568

RE: *Approved* – Permit for Sewage Disposal System Construction –  
Algonquin Avenue / 1-E-9

Dear Tisbury Property Owner(s),


A sewage disposal system construction permit, no. 4332 to construct a septic system serving your property at Algonquin Avenue, has been approved. The signed permit and septic plan will be provided to your installer upon request.

Kindly make a note of the following items:

- Inspection and certification by the design engineer, installer, and health agent are required at the time of installation.
- An as-built drawing must be submitted to our office within (30) days of the final inspection of the system installation and prior to the issuance of a certificate of compliance.
- A garbage grinder (disposal) is not allowed under this permit.
- Any changes to the use of said property, or substantial renovations or remodeling, will require further Board of Health review to ensure continued compliance with Title 5 standards.

Please contact our office if you have any questions regarding the applicability of the Board of Health policies to your permit.

Best regards,

Valerie Soushek   
Administrative Secretary  
vsoushek@tisburyma.gov  
510 338-7201 Direct

cc: Tisbury Building & Zoning