

Notes:

- 1. The address of the property that is the subject of this division is 187 Lagoon Pond Road, Assessor's Parcel 12 D 24, 1.48 acres.
- 2. The property is located in the R10 Zoning District.

 Minimum lot size = 10,000 s.f., minimum road

 frontage = 80 ft. minimum setbacks = 20 ft. front,

 10 ft. side, 20 ft. rear for a principal structure,

 20 ft. front, 5 ft. side and rear for an accessory

 structure.
- 3. Isolated wetland was flagged by Cooper Environmental Services LLC.
- 4. CB F = concrete bound found SB F = stone bound found

Building Height Calculations: Proposed top of foundation = 11.5' + 1.0' floor joists = 12.5' proposed first floor

Proposed Dwelling = 23.7' first floor to ridge

12.5' first floor + 23.7' first floor to ridge = 36.2' ridge

Mean Grade (from 6 corners of proposed dwelling = 7.3)

Proposed Dwelling Height = 36.2' - 7.3' = 28.9'

Construction Notes:

- 1. A siltation fence will be installed around the isolated wetland as shown on the plan prior to the start of construction.
- 2. A septic tank and pump chamber will be installed on lot 2 to direct wastewater flow to the existing septic system on lot 1.
- 3. There will be a temporary driveway installed from the existing driveway around and outside of the silt fence to allow for transport of a dwellling and related construction materials. Parking will be on lot 1.
- 4. At the conclusion of construction, all areas that have been disturbed will be planted with similar grasses as exist currently to stabilize the slope and minimize runoff.

Overlay Plan

Tisbury, Mass.
Prepared For

Amelia T. Hambrecht

Scale: 1" = 40' August 18, 2023

12 Surveyor's Lane, Box 339
Vineyard Haven, Mass.
508-693-2781
www.sbhinc.net
MV 10995