

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|------|-----------------------|---------------|-------------------------|-------------------------------------|-----------------------|----------------------------|-------------------------------------|----------------------|-----------|----------------------|
| | | | | | <i>Figures in red are estimates</i> | | | | | | |
| Albert's Pond | WT | artificial/dammed | | | 2 | | | | | | |
| Angelina's Pond | WT | | X | | | | | | | | |
| Alvin's Lane Pond | AQ | Artificial | X | | 0.3 | | | | | | |
| Beetle Swamp | ED | perched | | | 0.5 | | | | | | |
| Big Homer's Pond | WT | Barrier Beach Pond | | | 38 | | | | | | |
| Black Brook | AQ | | | | | | 1.5 miles | | | | |
| Black Point Pond | CH | Barrier Beach Pond | | 68 | | | | | | | |
| Blackwater Brook | WT | | | | | | 2.5 mile (all branches) | | | | |
| Blackwater Brook Pond | WT | dammed | | | 0.5 | | | | | | |
| Bliss Pond | CH | artificial/dammed | | | 3.5 | | | | | | |
| Brine's Pond | ED | artificial/dug | | | 2.5 | | | Large Mouth Bass* (Imported*) | | | |
| Brookside Farm Pond | CH | Artificial/dammed | | | 1 | | | | | | |
| Brush Pond | OB | tidal | | 14 | | | | | | | |
| Butler's Pond | WT | | X | | | | | | | | |
| Cagney's Pond | CH | Artificial | X | | | | | | | | |
| Caleb's Pond | ED | tidal- once fresh | | 39 | | | | | Quahogs? | | |
| Cape Poge Pond | ED | Barrier Beach Pond | | 1563 | | | | | Scallop & quahog | | |
| Cedar Tree Neck Pond: see Daggett's | WT | Barrier Beach Pond | | | | | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-----------------------------|------------------|--------------------------|-------|------------------------------|--|---|-----------------------|------------------------------|----------------------------------|--------------------|
| | | | | | | | ~ indicates data not fully processed or insufficient | | | | | |
| Albert's Pond | | | | | | | | | | | | |
| Angelina's Pond | | | | | | | | | | | | |
| Alvin's Lane Pond | | | | | | | | | | | | |
| Beetle Swamp | | | | | | bullfrog observed 2002 | | | | | | |
| Big Homer's Pond | | | | | | | | | | | | |
| Black Brook | | | | | | | | | | | | |
| Black Point Pond | | | | | | | | | | | | |
| Blackwater Brook | | | | | | | | | | | | |
| Blackwater Brook Pond | y | 1999 | v. ltd. | RSVP/MVC | RSVP | | | | | | | |
| Bliss Pond | | | | | | | | | | | | |
| Brine's Pond | | | | | | | | | | | | |
| Brookside Farm Pond | | | | | | | | | | | | |
| Brush Pond | Yes | 1986 &1995/96 | Yes | Wilcox, Poole, Gaines | WHOI | phragmites | | | | | | |
| Butler's Pond | | | | | | | | | | | | |
| Cagney's Pond | | | | | | | | | | | | |
| Caleb's Pond | y | 2000 | y ltd. | phinney | smast | | yes (MVC) ~2 feet | n | | eel grass mapping 1994 | | |
| Cape Poge Pond | y | 2000; 2002 | y | phinney/mvc- wilcox | smast | | yes (MVC) 1.9 to 2.0 feet | n | | eelgrass mapping 1994 | A | Sep-92 |
| Cedar Tree Neck Pond: see Daggett's | | | | | | | | | | | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|------------------|--|--------|----------------------------------|---|
| Albert's Pond | | | | | |
| Angelina's Pond | | | | | |
| Alvin's Lane Pond | | | | | I think this is a small backyard pond (a few 1000 s.f). right on State Road. |
| Beetle Swamp | | | | | AKA Sweetened Water Farm Pond |
| Big Homer's Pond | | | | | |
| Black Brook | | | | | |
| Black Point Pond | | | | | Circulation/flushing drains to Tisbury Great through a shallow ditch |
| Blackwater Brook | | | | | |
| Blackwater Brook Pond | | | | | road runoff at Lambert's Cove Road. Discharges as Coca Cola Creek- strongly colored with tannins and periodically showing high fecal coliform counts. |
| Bliss Pond | | | | | |
| Brine's Pond | Yes | | | | |
| Brookside Farm Pond | | | | | |
| Brush Pond | Yes | | | | heavily developed watershed and MV Hospital wastewater outfall--nitrogen loading issue |
| Butler's Pond | | | | | |
| Cagney's Pond | | | | | |
| Caleb's Pond | Yes | | | | tidal flushing; natural channel is sinuous |
| Cape Poge Pond | Yes | | | | The most productive scallop pond in Mass. When its on. Some eelgrass decline in period from 2000 to 2002 |
| Cedar Tree Neck Pond: see Daggett's | | | | | This may AKA Dagget's Pond?? |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|------|---|---------------|-------------------------|--------------------------|-----------------------|----------------------|---|---------------------------|-----------------|----------------------|
| Chilmark Pond | CH | Barrier Beach Pond | | 241 | | 3173 | | American Eels, Alewives, Brook Trout, Banded Killifish, Mummichogs | Oysters (few) | Yes bacteria | 1977 |
| Crackatuxet Cove | ED | Barrier Beach Pond | | 39 | | | | | | | |
| Cranberry Acres Reservoirs | T | Dug ponds for cranberry flood water storage | | | 6 | | | | | | |
| Crocker Pond | WT | Stream Pond/dammed | | | 8 | | | Brook Trout | | | |
| Crystal Lake | OB | Barrier Beach Pond | | | 12 | | | Yellow Perch, White Perch, Chain Pickerel, Goldfish* (Imported*) | | | |
| Daggett's Pond | WT | Barrier Beach Pond | | | 10 | | | | | | |
| Davis Pond | WT | Stream Pond/dammed | | | 2 | | | Chain Pickerel, Brook Trout, Banded Killifish | | | |
| Dodger's Hole | OB | Kettle Hole | | | 1 | | | | | | |
| Duarte's Pond | OB | Kettle Hole | | | 5 | | | Chain Pickerel, Yellow Perch | | | 1977 |
| Duarte's Pond | WT | Kettle Hole | | | 20 | | | Brown Bullheads, Brook Trout | | | |
| Edgartown Great Pond | ED | Barrier Beach Pond | | 842 | | 5150 | | White Perch, American Eels, Alewives- DMF fish survey 2000 | Oysters, Soft Shell Clams | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-----------------------------|-------------------|---------------------------------|----------------------|---|-------------------------------|---|-----------------------|---|----------------------------------|--------------------|
| Chilmark Pond | y | 1999-2000; 2002-2003 | y | MVC/Wilcox | SMAST | phragmites | yes (MVC) ~0.45 feet | Yes | 0-0.45 | | P | |
| Crackatuxet Cove | Yes | 1993; 2003 | Yes | Gaines/Whoi & Wilcox/MVC | | phragmites; purple loosestrife | | | | | | |
| Cranberry Acres Reservoirs | | | | | | | | | | | | |
| Crocker Pond | Yes | 2002 one time | Yes | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Crystal Lake | Yes | 1992-2002 | Yes | East chop assoc/RSVP/MV C | U. Wash. | phragmites | | | | SAV-1978 update 2002 | | |
| Daggett's Pond | Yes | 1998 | y very limited | MVC | SMAST | | | | | | | |
| Davis Pond | | | | | | | | | | | | |
| Dodger's Hole | y | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Duarte's Pond | | | | | | | | | | | | |
| Duarte's Pond | y | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Edgartown Great Pond | y | 1993 - present | yes- extensive | gaines/mvc | smast,gai nes, UW | phragmites; widely scattered purple loosestrife | y(Gaines & Wilcox 2003) | No | 0.1 - 0.7 | In process; UMass Coastal Systems group | CA | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? Or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|----------------------|--|--------|----------------------------------|---|
| Chilmark Pond | Yes | | | | poor circulation/tidal flushing; Marsh and shoals around inlet reduce tidal flow. |
| Crackatuxet Cove | | | | | Poor circulation/flushing. Reconnected to Edgartown Great Pond in 2003 restoration project. |
| Cranberry Acres Reservoirs | | | | Water willow borer | |
| Crocker Pond | | | | | |
| Crystal Lake | private not enforced | | | | On-going eutrophic conditions. Weed control undertaken in 2002 for phragmites and potamegeton |
| Daggett's Pond | | | | | bluegreen algae bloom in 1997; considerable tannin coloration. |
| Davis Pond | | | | | |
| Dodger's Hole | | | | pbl. water willow borer | open water very restricted by emergent marsh & water willow |
| Duarte's Pond | | | | | Stocked with trout |
| Duarte's Pond | | | | | |
| Edgartown Great Pond | Yes boat slide | Machacket, Quenomica and Wintucket wells | | | Tidal/flushing circulation and nitrogen loading; dermo disease in oysters; Eelgrass loss in 1999. |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|------|---|---------------|-------------------------|--------------------------|-----------------------|----------------------|--|--|-----------|----------------------|
| Eel Pond | ED | Barrier Beach Pond. Barrier now largely dispersed | | 115 | | | | | Scallops , soft shell clams (few), quahogs (few) | | |
| Farm Pond | OB | Barrier Beach Pond | | 33 | | 463 | | pbly some herring | Possibly some quahogs | | |
| Fisher Pond | WT | Stream Pond/dammed | | | 10 | | | Brook Trout, Banded Killifish | | | |
| Flat Bottom Pond | T | | | | 3 | | | | | | |
| Fresh Pond AKA Wiggie's | OB | Kettle Hole | | | 9 | | | Chain Pickerel, Brown Bullheads, Yellow Perch, Large and Small Mouth Bass*, Brown and Rainbow Trout*, Bluegills* (Imported*) | | | |
| Fulling Mill Brook | CH | Stream | | | | | 1.25 miles | Brook Trout | | | |
| Gaymark Pond | CH | Artificial | | | 2 | | | | | | |
| Glimmerglass Pond | WT | dammed?? | X | | 2 | | | | | | |
| Gray's Pond | WT | | | | 5 | | | | | | |
| Hamlin's Pond | OB | Barrier Beach Pond | | | 5 | | | | | | |
| Harlock Pond | CH | Kettle Hole | | | 14 | | | Chain Pickerel, Yellow Perch | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-------------------------------|---|--------------------------------|--------------------------------|-------------------------|------------------------|---|-----------------------|-----------------------------|----------------------------------|--------------------|
| Eel Pond | | | | | | | | | | | | |
| Farm Pond | y | 2000; 2003 | y very limited eval. Storm runoff | MVC/OB | u. Wash. | phragmites | yes (MVC) ~0.3 feet | n | 0.3 | eelgrass mapping 1994 | P | |
| Fisher Pond | | | | | | | | | | | | |
| Flat Bottom Pond | | | | | | | | | | | | |
| Fresh Pond AKA Wiggie's | very limited | 1998-2001 2002 one time | very limited | RSVP/MVC &Nat Seashore | Hach Kit & Nat. Seashore | | | | | | | |
| Fulling Mill Brook | v. ltd. | RSVP/MVC | v. ltd. | RSVP/MVC | Hach Kit | | | | | | | |
| Gaymark Pond | | | | | | water lilies/ bamboo | | | | | | |
| Glimmerglass Pond | | | | | | | | | | | | |
| Gray's Pond | | | | | | | | | | | | |
| Hamlin's Pond | | | | | | phragmites | | | | | | |
| Harlock Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? Or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|-----------------------|--|--------|----------------------------------|---|
| Eel Pond | Yes boat slide | | | | |
| Farm Pond | Yes, small pier | Yes | | | Culvert under Beach Road is inadequate therefore tidal flushing is not what it could be. Eelgrass bed appears to be in good health. |
| Fisher Pond | | | | | |
| Flat Bottom Pond | | | | | |
| Fresh Pond AKA Wiggie's | | | | | Stocked with trout |
| Fulling Mill Brook | | | | | |
| Gaymark Pond | | | | | Weed problems |
| Glimmerglass Pond | | | | water willow borer?? | |
| Gray's Pond | | | | | |
| Hamlin's Pond | | | | | |
| Harlock Pond | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|------|-----------------------|---------------|-------------------------|--------------------------|-----------------------|----------------------|---------------------------------|-------------------------------|---|----------------------|
| Herring Creek | ED | man made creek | | | | | 1.2 miles | herring? | | | |
| Ice House Pond- see Old House | WT | Kettle Hole | | | 11.0 | | | | | | |
| James' Pond | WT | | | 41 | | | | herring? | clams | | |
| James Pond West | WT | Dammed | | | 4 | | | | | | |
| Jennie's Pond | WT | | X | | | | | | | | |
| Jernegan Pond | ED | Kettle Hole | | | 3 | | | | | | |
| Job's Neck Pond | ED | Barrier Beach Pond | | | 68 | | | Yellow Perch, Chain Pickerel | | | |
| Job's Neck Pond, East | ED | Barrier Beach Pond | | | 17 | | | | | | |
| Job's Neck Pond, West | ED | Barrier Beach Pond | | | 6 | | | | | | |
| Katama Bay | ED | Barrier Beach Pond | | 1695 | | | | | clams, quahogs scallops | Edgartow n Harbor Yes bacteria | |
| Lagoon Pond | OB/T | Barrier Beach Pond | | 583 | | 3868 | | herring | clams, quahogs scallops | | 1977 |
| Lily Pond | AQ | Barrier Beach Pond | | | 3 | | | | | | |
| Lily Pond | ED | | | | 1 | | | | | | |
| Lily Pond | WT | Barrier Beach Pond | | | 0.5 | | | | | | |
| Little Pond | ED | Kettle Hole | | | 0.5 | | | | | | |
| Little Homer's Pond | WT | Barrier Beach Pond | | | 5 | | | | | | |
| Long Cove Pond | WT | Barrier Beach Pond | | | 79 | 500 | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-----------------------------|-------------------------------|--------------------------------|------------------|---------------------|---------------------------------|---|-----------------------|-----------------------------|----------------------------------|--------------------|
| Herring Creek | y | 1993 | gaines/whoi | whoi | whoi | phragmites | | | | | | |
| Ice House Pond- see Old House | y | 2002 one time | Y | Nat. Seashore/Basin team | | | | | | | | |
| James' Pond | Yes (2003) | 2003 | Y | Wilcox/MVC | SMAST | phragmites | yes (MVC) 0.3 to 0.4 feet | No | | | P | |
| James Pond West | Yes (2003) | 2003 | Y | MVC | SMAST | | | | | | | |
| Jennie's Pond | | | | | | | | | | | | |
| Jernegan Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Job's Neck Pond | | | | | | | | | | | MC | |
| Job's Neck Pond, East | | | | | | | | | | | | |
| Job's Neck Pond, West | | | | | | | | | | | | |
| Katama Bay | ltd. | ~1990 | gaines/whoi | whoi | whoi | | Yes (WHOI) | | | | CA | |
| Lagoon Pond | Yes | 1986 - 2003 | Yes- variable each year | Wilcox, Poole, Gaines | WHOI | phragmites | yes (MVC) 1.75 feet | n | 1.75 | eelgrass mapping 1994 | A/CA/P | 1994 |
| Lily Pond | | | | | | | | | | | | |
| Lily Pond | | | | | | | | | | | | |
| Lily Pond | | | | | | | | | | | | |
| Little Pond | | | | | | | | | | | | |
| Little Homer's Pond | | | | | | | | | | | | |
| Long Cove Pond | Yes | 1995, 1996,2000 | Yes | MVC/ TTOR | WHOI , SMAST | | | | | | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|------------------|--|--------|----------------------------------|--|
| Herring Creek | | | | | Portions in restoration from 2003 |
| Ice House Pond- see Old House | | | | | See OLD HOUSE POND below |
| James' Pond | | | | | Circulation/tidal flushing/excess plant growth/anoxia in 2003 |
| James Pond West | | | | | |
| Jennie's Pond | | | | | |
| Jernegan Pond | Yes (skating) | Yes | | | |
| Job's Neck Pond | | | | | |
| Job's Neck Pond, East | | | | | |
| Job's Neck Pond, West | | | | | |
| Katama Bay | Ramp | | | | Eelgrass disappeared by 1998. Large reduction in eelgrass in outer harbor area noted in 1999. |
| Lagoon Pond | Ramp | yes | | | circulation and nitrogen loading; stormwater runoff ; anoxia in 2002 & 2003; loss of eelgrass- 30% coverage in 1994 down to 13% in 1999. |
| Lily Pond | | | | | |
| Lily Pond | | yes | | | |
| Lily Pond | | | | | |
| Little Pond | | Yes | | | |
| Little Homer's Pond | | | | | |
| Long Cove Pond | TTOR | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|---------|-----------------------|---------------|-------------------------|--------------------------|-----------------------|---------------------------|--|--|-----------------|----------------------|
| Looks Pond | WT | dammed stream | | | 4 | | | | | | |
| Mayhew's Trout Pond | WT | | | | 1 | | | | | | |
| Menemsha Pond | CH/AQ | Barrier Beach Pond | | 665 | | 1856 | | important herring run, bluefish, striped bass | Soft Shell Clams, Scallops, Quahogs | Yes bacteria | 1977 |
| Middle Point Cove | WT | Barrier Beach Pond | | | 20 | | | | | | |
| Mill Brook draining to Chilmark Pond | CH | Stream | | | | | 2.4 miles | Gold Shiners, Banded Killifish, Tessellated Darters | | | |
| Mill Brook draining to Old Mill Pond | WT & CH | | | | | | 1.6 miles (3.25 miles) | Eel; tessellated d | | | |
| Mill Pond | WT | Artificial/dammed | | | 4 | 1000 | | Brown Bullheads, Yellow Perch, Brook Trout, Large Mouth Bass*, Brown and Rainbow Trout*, Bluegills* (Imported*) | | | 1977 |
| Mink Meadows Pond | T | Artificial | | | 8 | | | | | | |
| Nashaquitsa Pond | CH | | | 92 | | 2140 | | | Soft Shell Clams(few), Scallops (few), Quahogs | | 1977 |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-------------------------------|------------------|--------------------------------|------------------|---------------------|-----------------------|---|-----------------------|--|----------------------------------|--------------------|
| Looks Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Mayhew's Trout Pond | | | | | | | | | | | | |
| Menemsha Pond | Yes | 1995 - 2000; 2002- 2003 | Yes | Tribe, MVC | WHOI, SMAST | phragmites | yes (MVC) 3.0 feet | y | 2.95 feet | eelgrass mapping 1994 | A | |
| Middle Point Cove | | | | | | | | | | | | |
| Mill Brook draining to Chilmark Pond | | | | | | | | | | 2000 rapid assessment indicates good trophic structure | | |
| Mill Brook draining to Old Mill Pond | | | | | | | | | | Slightly impaired | | |
| Mill Pond | Yes limited | 1998-2000 | Yes limited | RSVP/MVC | Hach Kit | | | | | | | |
| Mink Meadows Pond | | | | | | phragmites | | | | | | |
| Nashaquitsa Pond | Yes | 1977; 1995 | deqe &MVC | Tribe & MVC | SMAST | | | | | eelgrass mapping | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|---------------------------------|--|--------|----------------------------------|--|
| Looks Pond | | | | | Increasing growth of pondweed noted in 2001 and 2002 |
| Mayhew's Trout Pond | | | | | |
| Menemsha Pond | Yes | | | | |
| Middle Point Cove | | | | | |
| Mill Brook draining to Chilmark Pond | | | | | |
| Mill Brook draining to Old Mill Pond | | | | | |
| Mill Pond | Yes aesthetic | | | water willow borer? | |
| Mink Meadows Pond | | | | | |
| Nashaquitsa Pond | Yes, small pier & ramp | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|--|------|---------------------|---------------|-------------------------|--------------------------|-----------------------|----------------------|--|--|------------------|----------------------|
| No Bottom Pond | WT | | X | | | | | | | | |
| North Neck Pond | ED | | | | 2 | | | | | | |
| Oak Bluffs Harbor | OB | Barrier Beach Pond | | | 30 | | | | quahogs | Yes, bacteria | 1977 |
| Obed Daggett SEE Daggett's ?? | WT | Artificial | | | | | | | | | |
| Ocooch Pond | AQ | | | | 4 | | | | | | |
| Old House Pond | WT | Kettle Hole | | | 11 | | | Chain Pickerel, Yellow Perch, Banded Killifish, Swamp Darters | | | |
| Old Mill Pond NOTE THIS IS THE SAME AS MILL POND above | WT | Stream Pond | | | | | | | | | |
| Oyster Pond | ED | Barrier Beach Pond | | | 207 | 2500 | | | Soft Shell Clams (few), Oysters | Yes, bacteria | |
| Paint Mill Brook | CH | Stream | | | | | 0.81 miles | Brook Trout | | | |
| Paint Mill Brook Pond | CH | Artificial | | | 3 | | | | | | |
| Paint Mill Brook Pond 2 | CH | Barrier beach pond | | | 5 | | | | | | |
| Paqua Pond | ED | Barrier beach pond | | | 14 | | | | | | |
| Parsonage Pond | WT | manmade or enhanced | | | 0.75 | | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|--|--------------------------|-----------------------------|------------------|--------------------------------|------------------|---------------------|----------------------|---|-----------------------|-----------------------------|----------------------------------|--------------------|
| No Bottom Pond | | | | | | | | | | | | |
| North Neck Pond | | | | | | | | | | | | |
| Oak Bluffs Harbor | Yes | 1977;2001 thru 2003 | deqe | MVC | SMAST | | | | | eelgrass mapping 1994 | CA | |
| Obed Daggett SEE Daggett's ?? | v. ltd. | 1997 one time | Yes | MVC | SMAST | | | | | | | |
| Occochoch Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Old House Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Old Mill Pond NOTE THIS IS THE SAME AS MILL POND above | | | | | | | | | | | | |
| Oyster Pond | Yes | 1995-6 | Yes | Wilcox/MVC | WHOI | | | | | | MC | |
| Paint Mill Brook | | | | | | | | | | 2000 non- impacted | | |
| Paint Mill Brook Pond | | | | | | | | | | | | |
| Paint Mill Brook Pond 2 | | | | | | | | | | | | |
| Paqua Pond | | | | | | | | | | | MC | |
| Parsonage Pond | | | | | | | | | | | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|--|------------------|--|--------|----------------------------------|---|
| No Bottom Pond | | | | | |
| North Neck Pond | | | | | |
| Oak Bluffs Harbor | Ramp | | | | Heavy summer use by boats; substantial stormwater runoff, seasonally closed to shellfishing. |
| Obed Daggett SEE Daggett's ?? | | | | | sampled in response to blue-green algae bloom |
| Occooch Pond | | | | water willow borer? | open water was very limited during October visit |
| Old House Pond | | | | | residents feel there is a decline in water quality; lower transparency; increased weed growth; bullfrogs; may have been stocked years ago species unknown |
| Old Mill Pond NOTE THIS IS THE SAME AS MILL POND above | | | | | |
| Oyster Pond | | | | | dermo disease in oysters |
| Paint Mill Brook | | | | | |
| Paint Mill Brook Pond | | | | | |
| Paint Mill Brook Pond 2 | | | | | |
| Paqua Pond | | | | | |
| Parsonage Pond | | | | Water willow borer? | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|-------|-------------------------------------|---------------|-------------------------|--------------------------|-----------------------|----------------------|---|---|------------------|----------------------|
| Pease Pond, Chappaquiddick | ED | Barrier Beach Pond | | 7.5 | | | | | | | |
| Pocha Pond | ED | Barrier Beach Pond | | 114 | | | | Yellow Perch (before open to Cape Poge Pond in 1940s increasing salinity) | Scallops mainly in channel. Mussels? | | |
| Priester's Pond | WT | Stream Pond | | | 5 | | | Brook Trout | | | |
| Quenames Cove | CH | Barrier Beach Pond | | | 17 | | | | | | |
| Rainwater Pond | WT | | X | | | | | | | | |
| R.D. William Pond | WT | Artificial | X | | | | | | | | |
| Rhoda Pond | T | Part of Tashmoo | | | | | | | | | |
| Roaring Brook | CH | Stream | | | | | 1.7 miles | Brook Trout | | | 1977 |
| Round Pond | CH | | X | | | | | | | | |
| Self's Pond (Chappaquiddick) | ED | | | | 3.25 | | | | | | |
| Sengekontacket Pond | OB/ED | Flooded topographic low spot. | | 691 | | 4089 | | herring limited run | Soft Shell Clams, Scallops, Quahogs | Yes, bacteria | 1977 |
| Seth's Pond | WT | Kettle Hole | | | 11.4 | 87 | | Chain Pickerel, Yellow Perch, Brook Trout, Banded Killifish, Swamp Darters, Large and Small Mouth Bass*, Brown and Rainbow Trout*, Bluegills* (Imported*) | | | 1977 |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-----------------------------|------------------|--------------------------------|------------------|---------------------|---------------------------------|---|-----------------------|-----------------------------------|----------------------------------|--------------------|
| Pease Pond, Chappaquiddick | | | | | | | | | | | | |
| Pocha Pond | Yes | 2000 & 2003 | Yes | Phinney & Wilcox/MVC | Smast | | yes (MVC) ~ 1.5 to 2 feet | n | | | A | |
| Priester's Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |
| Quenames Cove | | | | | | phragmites | | | | | | |
| Rainwater Pond | | | | | | | | | | | | |
| R.D. William Pond | | | | | | | | | | | | |
| Rhoda Pond | | | | | | | | | | | | |
| Roaring Brook | Yes | 1999 | v. ltd. | RSVP/MVC | RSVP/Ha ch | | | | | | | |
| Round Pond | | | | | | | | | | | | |
| Self's Pond (Chappaquiddick) | | | | | | | | | | | | |
| Sengekontacket Pond | Yes | 1994 -6; 2003 | Yes | MVC, Gaines | WHOI | | yes (MVC) 2.01 feet | n | 1.95 | | A | 1999 |
| Seth's Pond | Yes | 2001 | Yes | WT/MVC | U. Wash. | bullfrogs | | | | SAV study 1977, update 2001 | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|-------------------------------|--|--------|----------------------------------|--|
| Pease Pond, Chappaquiddick | | | | | |
| Pocha Pond | Yes, TTOR MVLB trail | | | | No eelgrass; muck bottom; very few shellfish except in the channel near the Dike Bridge |
| Priester's Pond | | | | | |
| Quenames Cove | | | | | |
| Rainwater Pond | | | | | |
| R.D. William Pond | | | | | |
| Rhoda Pond | | | | | |
| Roaring Brook | | | | | |
| Round Pond | | | | | |
| Self's Pond (Chappaquiddick) | | | | | |
| Sengekontacket Pond | Ramp | yes | | | Eelgrass beds disappeared in the late 1980's and have not re-established. Tidal flood deltas periodically reduce tidal flow. |
| Seth's Pond | Beach | pvt. Wells | | | stormwater runoff correction on Lambert's Cove Road: stocked with trout; mercury elevated in resident fish |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|------|-----------------------|---------------|-------------------------|--------------------------|-----------------------|----------------------|---|--|-----------|----------------------|
| Shear Pen Pond | ED | part of Cape Pogue | | 34 | | | | | Quahogs | | |
| Sheriffs Pond | ED | | | | 5 | | | | | | |
| Smith Brook | T | | | | | | 0.85 | | | | |
| Smith Brook Pond | T | Barrier Beach Pond | | | 1 | | | | | | |
| Squibnocket Pond | CH | Barrier Beach Pond | | 603 | | 1303 | | White Perch, Alewives | Oysters, Soft Shell Clams(few) | | |
| Squibnocket Ridge Pond | CH | | | | 13 | | | | | | |
| Stan Murphy's Pond | WT | Artificial/dammed | | | 3 | | | | | | |
| Stonewall Pond | CH | | | 23 | | 2140 | | | Scallops, quahogs | | |
| Straight Pond | CH | Artificial | X | | | | | | | | |
| Sunset Lake | OB | | | | 5 | | | | | | |
| Swamp Meadow Brook | CH | | | | | | | | | | |
| Tashmoo Pond | T | Barrier Beach Pond | | 270 | | ~1800 | | new herring run added 2002 | Scallops, Soft Shell Clams, Quahogs | | 1977 |
| Tiasquam River | WT | Stream | | | | | 2.5 miles | Brook Trout, Tessellated Darters, American Eels, Alewives | | | 1977 |
| Tiny Chet's Pond | CH | Kettle Hole | X | | | | | Yellow Perch, Bluegills* (Imported*) | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-----------------------------------|------------------|-----------------------|----------------|---------------------|---|---|-----------------------|-----------------------------|----------------------------------|--------------------|
| | | | | | | | | | | eelgrass mapping 1994 | | |
| Shear Pen Pond | Yes | 2003 | Yes | Wilcox/MVC | SMAST | | | | | | | |
| Sheriffs Pond | | | | | | | | | | | | |
| Smith Brook | Yes | 1999 | v. ltd. | RSVP/MVC | RSVP/Ha ch | | | | | | | |
| Smith Brook Pond | | | | | | | | | | | | |
| Squibnocket Pond | Yes | 1989; 1995 2000; 2002- 2003 | Yes | Gaines, MVC, Tribe | WHOI, SMAST | phragmites | yes (MVC) tide is insignifican t | n | 0 -0.47 | | | |
| Squibnocket Ridge Pond | | | | | | | | | | | | |
| Stan Murphy's Pond | | | | | | | | | | | | |
| Stonewall Pond | at outflow | 1995 & 2000 to 2003 | Yes | Gaines, MVC, Tribe | WHOI, SMAST | phragmites ? | | | | | | |
| Straight Pond | | | | | | | | | | | | |
| Sunset Lake | Yes | 2001 & 2003 | Yes | MVC | SMAST | | | | | | | |
| Swamp Meadow Brook | | | | | | | | | | | | |
| Tashmoo Pond | Yes | 2001 & 2003 | Yes | MVC | smast | | Yes (MVC) 2.0 ft. | n | | eelgrass mapping | A/P | 1993 |
| Tiasquam River | Yes | 1999 | v. ltd. | RSVP/MVC | RSVP/Ha ch | | | | | 2000 slightly impacted | | |
| Tiny Chet's Pond | | | | | | | | | | | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? Or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|------------------|--|--------|----------------------------------|---|
| | | | | | |
| Shear Pen Pond | | | | | |
| Sheriffs Pond | | | | | |
| Smith Brook | | | | | |
| Smith Brook Pond | | | | | |
| Squibnocket Pond | | | | | There may be a few soft shell clams but no quahogs or scallops. The pond maintains a salinity around 10ppt but is very poorly circulated to Menemsha pond-- some improvements to the channel might help. Eutrophic particularly in cove near Stonewall Beach. |
| Squibnocket Ridge Pond | | | | | |
| Stan Murphy's Pond | | | | | If this is the dammed pond on the Tiasquam below the South Road it is also known as Warren's Pond |
| Stonewall Pond | | | | | |
| Straight Pond | | | | | |
| Sunset Lake | | | | | Flushing and stormwater runoff. |
| Swamp Meadow Brook | | | | | |
| Tashmoo Pond | Ramp | Yes | | | Tidal circulation and nitrogen loading. Eelgrass beds have declined. 30% coverage in 1994 decreased to 15% in 1999. |
| Tiasquam River | | | | | Some runoff from road crossings-- many were corrected. |
| Tiny Chet's Pond | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|-------|--------------------|---------------|-------------------------|--------------------------|-----------------------|----------------------|--|------------------------------|------------------|----------------------|
| Tisbury Great Pond | WT/CH | Barrier Beach Pond | | 736 | | 12250 | | White Perch, American Eels, Striped Killifish, Mummichogs, Alewives, Brook Trout | Oysters, Soft Shell Clams | Yes, bacteria | |
| Tom's Neck | ED | | | | 5 | | | | | | |
| Trapp's Pond | ED | Barrier Beach Pond | | 45 | | 504 | | Brook Trout, White Perch | Soft shell clams | | 1977 |
| Unnamed Brook | CH | | | | | | 0.8 miles | | | | |
| Uncle Seth's Pond NOTE This is Seth's | WT | Kettle Hole | | | | | | | | | |
| Upper Chilmark Pond | CH | Barrier Beach Pond | | | 38 | 2122 | | Large and Small Mouth Bass*, Bluegills* (Imported*) | | | |
| Upper Lagoon Pond | OB/T | dammed | | | 11 | | | Brown and Rainbow Trout * (Imported*); herring | | | |
| Upper Tashmoo Pond | T | Dammed | | | 1 | | | Herring | | | |
| Vineyard Haven Harbor | T | jettied | | | | | | | Scallops, quahogs | Yes, bacteria | 1977 |
| Watcha Pond | WT | Barrier Beach Pond | | | 61 | | | Chain Pickerel, White Perch | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|-----------------------------------|----------------------------------|------------------|------------------------------|----------------|---------------------|-------------------------|---|-----------------------|--|----------------------------------|--------------------|
| Tisbury Great Pond | Yes | 1995 -6, 2000-2003 | Yes | MVC. Taylor, TTOR, Wilcox | WHOI/ SMAST | phragmites | yes (MVC) ~ 0.6 feet | n | 0.65 | | CA and some P | |
| Tom's Neck | | | | | | | | | | | | |
| Trapp's Pond | Yes | 1995 -1996 & 2003 | Yes | MVC | WHOI | phragmites | yes (MVC) 0.55 feet | | 0.6 | | | |
| Unnamed Brook | | | | | | | | | | | | |
| Uncle Seth's Pond NOTE This is Seth's | | | | | | | | | | | | |
| Upper Chilmark Pond | Yes | 1999-2000 & 2003 at outlet | Yes | MVC | SMAST | phragmites | | | | | | |
| Upper Lagoon Pond | 2002 weekly May thru Sep | 2002 & 2003 | N, P, Si | OB/MVC | SMAST | | | | | | | |
| Upper Tashmoo Pond | | | | | | | | | | | | |
| Vineyard Haven Harbor | Yes | | | deqe | | | | | | eel grass mapping 1994& 1999; harbor managemen t plan 1993, | CA | 1999 |
| Watcha Pond | | | | | | | | | | | | |

Martha's Vineyard Surface Waters

| MV Watershed team Revised/added to by W. Wilcox at MVC | Public access | Town Water supply well in watershed? Or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|-----------------------|--|--------|----------------------------------|--|
| Tisbury Great Pond | MVLB boat slide | | | | Tidal circulation/flushing; nitrogen loading and dermo disease in the oysters. |
| Tom's Neck | | | | | |
| Trapp's Pond | Yes | Yes | | | Tide range greatly reduced by passage from Senge. thru Beach Road culvert. Nitrogen loading. Eelgrass beds are heavily coated with epiphytes. |
| Unnamed Brook | | | | | Flows into Menemsha Pond at Peases Point. |
| Uncle Seth's Pond NOTE This is Seth's | | | | | |
| Upper Chilmark Pond | | | | | Has shown some symptoms of eutrophication including a large number of Pectinitella magnifica bryozoans. |
| Upper Lagoon Pond | Yes, trail | Yes | | | This pond had a serious bloom during 2002 with ChIA up to 60 to 190 ug/l. It is stocked with trout annually. Was stocked with herring several times to establish new run. It has Pectinitella magnifica bryozoans. |
| Upper Tashmoo Pond | Yes, trail | Yes | | | |
| Vineyard Haven Harbor | Yes, Town pier | | | | Working harbor receives some stormwater runoff; part of watershed will be sewered. Eelgrass bed along seawall decreased by 40 % from 1994 to 1999. |
| Watcha Pond | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Town | Origin | Need Info. | Salt Pond Acreage | Fresh Pond acreage | Acres of Watershed | Length of stream* | Common Fish Species | Shellfish Species | 303D list | DEP WQ assessment |
|---|------|-------------|---------------|-------------------------|--------------------------|-----------------------|----------------------|------------------------|----------------------|-----------|----------------------|
| Watering Place | WT | | X | | | | | | | | |
| Witch Brook | AQ | | | | | | 0.5 miles | | | | |
| Witch Brook | AQ | | | | | | 0.65 miles | | | | |
| Witch (Black) Pond | AQ | Kettle Hole | | | 5 | | | Yellow Perch | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | water quality data | Data Collection Years | Nutrient Data | monitoring group | Lab | invasive species | Tide Data & Range | Tide corrected to Common Datum | Tide Range Feet | Habitat assessment | Shellfish Area Classification | Sanitary Survey |
|---|--------------------------|-----------------------------|------------------|--------------------------------|------------------|---------------------|----------------------|---|-----------------------|-----------------------|----------------------------------|--------------------|
| Watering Place | | | | | | | | | | | | |
| Witch Brook | | | | | | | | | | | | |
| Witch Brook | | | | | | | | | | | | |
| Witch (Black) Pond | v. ltd. | 2002 one time | y very ltd. | Nat. Seashore/Basin team | Nat. seashore | | | | | | | |

Martha's Vineyard Surface Waters

| <i>MV Watershed team Revised/added to by W. Wilcox at MVC</i> | Public access | Town Water supply well in watershed? Or pond in well contribution area | Biomap | Endangered species habitat | Priorities/Notes |
|---|--------------------------|---|---------------|---|-------------------------|
| Watering Place | | | | | |
| Witch Brook | | | | | |
| Witch Brook | | | | | |
| Witch (Black) Pond | | | | | |